

Openings

Amarr[®]Residential Garage Doors



www.amarr.com



AMARR BY DESIGN

AMARR HORIZON

ALUMINUM OPTIONS

40 WOOD & SPECIALTY SPECIFICATIONS

AMARR VISTA

32

34

36

38



Openings. Open up to a new way of thinking. The garage. It's more than a way in, or a way out. Inside it's a parking lot, a gym, a workshop. Outside, it's an extension of your home, a reflection of your personality, of your individuality. Whether you prefer steel, wood, or aluminum, rethink what a garage door is, or can be. Amarr Openings. Open up to the possibilities.



AMARR ADVANTAGE

Style and Variety



We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage

door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of insulations and door thicknesses to provide the level of energy efficiency you desire.



Safety

Our SafeGuard System features patented center and end



hinges, exclusive safety bottom brackets and uniquely-designed pinch protection sections to enhance overall safety for homeowners. These garage doors are designed to reduce the

risk of serious hand and finger injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

Made in USA



All Amarr residential and commercial steel and aluminum garage doors are manufactured in the USA, affirming our commitment to high quality and durability.

AMARR ADVANTAGE



AMARR CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

DESIGNS

AVAILABLE WITH WINDOWS

DINETOD (DT)

SEABROOK (SB)







NOT AVAILABLE WITH WINDOWS ASHLEY (AL) CHARLTON (CT)







ARCADI



R (GB)	1	DARBY (D	B]	
			ļ	
			Щ	



A (AR)*	RAVENWOOD (RW							

ROSEMO	

FAIRFIELD (FF)

NEWBERRY (NB)

BROOKLAND (BL)*


BRADBERRY (BB)

MIDDLETON (MT)





Closed Square only.



CC4000 Four-Layer: Overlay + Steel + Insulation + Steel



Designs A wide variety of unique carriage house designs available in four color options.

See page 30 for complete specifications.

Choose from a variety of optional decorative windows & hardware to match your home's design.

Decorative Options

See p. 6 for window options. See p.11 for decorative hardware options.


5

WARRANTY

- · Lifetime limited warranty on finish
- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

AMARR CARRIAGE COURT OPTIONS

OVERLAY TRIM



ТОР	SECTIONS	

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE* or INSULATED* GLASS CLOSED SQUARE (104) CLOSED ARCH (105)



CLOSED ARCH (105)





4 LITE ARCH (111)



6 LITE SQUARE (112)

CLEAR SQUARE (115)

3 LITE SQUARE (106)

4 LITE SQUARE (107)

8 LITE SQUARE (113)





*Price upcharge applies.

Available for ARCADIA⁺, ASHLEY, BROOKLAND⁺, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA⁺, MIDDLETON, NEWBERRY, RAVENWOOD⁺ AND TANGLEWOOD

CLOSED SQUARE (104)

CLOSED ARCH (105)

6 LITE ARCH (108)



C 0 L 0 R S

TRUE WHITE / WHITE (W1) ALMOND / WHITE (A1)

) WICKER TAN / WHITE (K1) SANDTONE / WHITE (S1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware





AMARR CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



DESIGNS

LUCERN (L)



NORTHAMPTON (N)





TUSCANY (T)

d



SANTIAGO (S)



VALENCIA (V)



Cortona Long Panel Arched Top not available





Tuscany with Closed Arch (T1)





CL1000 Single-Layer:

Steel **CL2000** Double-Layer:

Steel + Insulation **CL3000**

Triple-Layer: Steel + Insulation + Steel

Designs

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs. See page 30 for

complete specifications.

Santiago with Nile Windows (S6)

Decorative


Windows & Hardware Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.

See pp. 10-11 for glass, window, and decorative hardware options.



AMARR CLASSICA® & HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.









*Price upcharge applies.

CLAVOS

TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1), CORTONA (C1)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • CORTONA (C2)



MADEIRA (5)*





THAMES (10)*



AMERICANA (57)+














* Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.
[†] Tempered obscure glass with baked-on ceramic design Design visibility varies due to lighting.

DECORATIVE HARDWARE & LOCK For all collections



5" tall

10" tall

NOTTINGHAM




AMARR OAK SUMMIT[®]


Self-expression shouldn't cost a fortune. With the Amarr Oak Summit collection, it won't. These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your look with our most affordable carriage house door.

Recessed design with Thames DecraTrim in Sandtone with Alpine handles



DESIGNS





Bead Board with Prairie DecraTrim (BB21)



Recessed with Heartland DecraGlass (RE70)



Windows & Hardware Give your door a unique carriage house look with a variety of decorative window

See page 11 for decorative hardware options, pp.26-27 for glass and window options.



GOLDEN OAK (OK)*

WALNUT (NT)*





13

MAHOGANY (MY)



*Price upcharge applies

AMARR OAK SUMMIT

STEEL




AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price. The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges



DESIGNS





Recessed with Stockton DecraTrim (RE20)

-		
	11	I.L.

Bead Board Clo	osed (BB)
formitt	LIT TITCH
T	
1.	1, H
10000	

HI1000

HI2000

GOLDEN OAK

(0K)1

Double-Layer: Steel + Insulation

HI 3138 🕬

Single-Layer: Steel

Board, Recessed, or 1-3/8" Triple-Layer: Steel + Insulation + Steel

See page 30 for

2" Triple-Layer: Steel + Insulation + Steel

Designs

collection is offered in Bead Board, Long Bead Raised panel carriage

house designs.

complete specifications.


The Amarr Hillcrest

Decorative

11

Windows & Hardware Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

See page 11 for decorative hardware options, pp.26-27 for glass and window options.



*Available in HI3138 only. [†]Price upcharge applies.

WALNUT MAHOGANY (MY)[†]

Amarr[®] Color Zone See page 27 for more information.[†]




AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40⁺ these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



DESIGNS



*Amarr DC3138 only available in Bead Board design.







ALMOND

(AL)

MAHOGANY [MY]

COLORS

TRUE WHITE

(TW)

WALNUT (NT)*

See page 30 for complete specifications. Steel + Insulation + Steel

SANDTONE

(ST)

*DC3138 only available in 8', 9' or 16' wide doors. †True White Bead Board only. 13.35 R-value for all other panels and colors. ‡Available for DC3200 only.

WICKER TAN

[WK]

Designs

The Amarr Designer's Choice model is available in four carriage house designs and eight colors.

or DecraGlass‡ windows to best coordinate with your home. See page 11 for decorative hardware options, pp.26-27 for glass and window options.

Decorative

Windows & Hardware

Choose from DecraTrim inserts

Actual paint colors may vary from samples shown.

BLACK



DC3138 only available in True White and Color Zone. *Price upcharge applies

DARK BROWN

(DN)

AMARR DESIGNER'S CHOICE





AMARR HERITAGE"

Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles. Great looks for years to come.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges



DESIGNS

TRADITIONA	L		
SHORT PANEL (SP)	LONG PANEL (LP)	FLUSH PANEL (FP)*	RIBBED PANEL (RP)*
		*/	vailable in HR3000 only.
CARRIAGE H	OUSE (NEW)		walable in micodo only.
BEAD BOARD (BB)*	LONG BEAD BOARD (LPBB)	RECESSED (RE)	RAISED (RS)
(BB)*	(LPBB)		
	(LPBB)		
	(LPBB)		

MOSAIC WINDOWS



With Mosaic Window Ontions for traditional designs, you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



Single-Layer: Steel

HR2000 Double-Layer: Steel + Insulation

COLORS

TRUE WHITE

(TW)

HR3000 Triple-Layer: Steel + Insulation + Steel

The Amarr Heritage collection is available in Short, Long, Flush, and Ribbed panel designs and seven color options.

See page 30 for complete specifications.

DARK BROWN

(DN)

⁺ Price upcharge applies.

SANDTONE

See pp. 26-27 for glass and window options.

window inserts to coordinate

windows or DecraTrim

with your home.

Actual paint colors may vary from samples shown.





(19)

GOLDEN OAK WALNUT MAHOGANY (OK)[†] (NT)[†] (MY)[†] Woodgrain finishes are dual directional for all panel designs.

ALMOND

STEEL




AMARR STRATFORD°

Time-honored style. The Amarr Stratford collection offers 4 traditional designs, 11 color choices, and more than 20 decorative window options. This durable low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries. The Amarr Stratford. A statement of style.

Long Panel design with Trellis DecraGlass in Sandtone



DESIGNS



FLUSH PANEL (FP)



MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



Single-Layer: Steel

ST 2000 Double-Layer: Steel + Insulation The Amarr Stratford collection is available in a variety of designs and colors. See page 30 for

complete specifications.

or craftsman DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See pp. 26-27 for glass and window options.

Actual paint colors may vary from samples shown.

COLORS

(OK)1







MAHOGANY

WICKER TAN

[WK]

TERRATONE (ST) (TT) (DN) * Available in Flush Panel design with Stucco texture. + Price upcharge applies.



(MV)

SANDTONE

Woodgrain finishes are dual directional for all panel designs.

AMARR STRATFORD

DARK BROWN



AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with more than 20 decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.

Flush Panel design with Frost Mosaic window options in Charcoal Gray



DESIGNS

SHORT PANEL (SP)	LONG PANEL (LP)

FLUSH PANEL (FP)



MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.

Short Panel with Chalet DecraGlass (SP56)		Flush Panel (FP)
լլ մեսլ	Long Panel with Cascade DecraTrim (LP23)	
Ribbed Panel (RP) with Long Panel Clear windows		Short Panel with Prairie DecraTrim (SP21)
		n ne an an an
		يصريهيرسارسا
1 14000	Designs	Decorative Windows

LI1000 Single-Layer: Steel LI 2000 Double-Layer: Steel + Insulation 13138 **NEW**

design door offered in Short, Long, Flush, or Ribbed panel designs.

complete specifications.

LI 3000 2" Triple-Layer: Steel + Insulation + Steel

WALNUT

MAHOGANY (MY)[†]

GOLDEN OAK

(0K)1

1-3/8" Triple-Layer: Steel + Insulation + Steel

Designs The Amarr Lincoln collection is a traditional

See page 30 for

See page 27 for more information.[†]

Decorative Windows Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See pp. 26-27 for glass and window options.



Flush Panel with Stucco texture. ‡ Available in LI3138 only. [†] Price upcharge applies.



RIBBED PANEL (RP)

AMARR LINCOLN




AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40⁺, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



DESIGNS



FLUSH PANEL (FP)*




Flush Panel available in True White and Color Zone only.

*Amarr OL3138 only available in Flush and Short Panel designs.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations. Available in OL3200 only.







Designs The Amarr Olympus model is available in Short Panel and Long Panel designs and eight color options.

See page 30 for

complete specifications.

*OL3138 only available in 8', 9' or 16' wide doors. †True White Short and Flush panels only: 13.35 R-value for all other panels and colors. ‡Available for OL3200 only.

SANDTONE

(ST)

COLORS



WALNUT (NT)*





MAHOGANY (MY)

[WK]





OL3138 only available in True White and Color Zone. *Price upcharge applies





Decorative Windows

See pp.26-27 for

Actual paint colors may vary from samples shown.

Choose from DecraTrim inserts

or DecraGlass[‡] windows to best

coordinate with your home.

glass and window options.



STEEL OPTIONS

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.

GLASS OPTIONS	Insulated glass available in Clear, Frost and Dark Tint*	DECRAGLASS [™] WINDOWS Tempered obscure glass with baked-on ceramic designs.
CLEAR (C) OBSCURE (0)*	FROST (WF)* DARK TINT (WD)*	SHORT PANEL Amarr Heritage, Stratford, Lincoln and Olympus 01.3200. LONG PANEL Amarr Heritage, Stratford, Lincoln, Hillcrest, 0ak Summit, Olympus
G D, G D,	6	VICTORIAN (54) VICTORIAN (54) VICTORIAN (54)
	* Price upcharge applies.	
DECRATRIM WINDOW	INSERTS Available with Clear or Obscure Glass.	RIVIERA (55)* RIVIERA (55)*
SHORT PANEL Amarr Heritage, Stratford, Lincoln and Olympus collections.	LONG PANEL Amarr Heritage, Stratford, Lincoln, Hillcrest, Oak Summit, Olympus and Designer's Choice collections.	
CLEAR (C)	CLEAR (C)	CHALET (56) CHALET (56)
STOCKTON (20)	STOCKTON (20)	AMERICANA (57) AMERICANA (57)
PRAIRIE (21)	PRAIRIE (21)	HEARTLAND (70) HEARTLAND (70)
CATHEDRAL (22)	CATHEDRAL (22)	MISSION (71) MISSION (71)
		PRAIRIE (72)† PRAIRIE (72)†
CASCADE (23)		
		JARDIN (75) JARDIN (75)
WATERFORD (25)	WATERFORD (25)	8X8 8X8 8X8 8X8 8X8 8X8
		TRELLIS (76) TRELLIS (76)
WAGON WHEEL (26)	WAGON WHEEL (26)	ලදුලදුල ලදුල දෙන දෙන දෙන දෙන
		 Clear glass with printed frost pattern. † Obscure glass with v-groove. DecraTrim and DecraGlass design visibility varies due to lighting.
SUNRAY (27)	SUNRAY (27)	MOSAIC WINDOW OPTIONS
		The choice is yours. Add visual interest to your contemporary, mid-century modern or
FULL SUNRAY (28) Short Panel	Available for 16', 17', and 18' only.	transitional home. With Mosaic Window Options for Amarr Heritage, Stratford, Lincoln and Olympus steel garage doors short or long panel windows with clear or obscure glass can
		be placed in any standard position**. Visit amarr.com/mosaic for design inspirations.
FULL SUNRAY (28) Long Panel	Available for 15', 15' 6", 15' 8", 16', 17', and 18' only.	
FIVE PIECE SUNRAY for 10' width doors (29) Available only	in True White.	** Window design options may vary based on door width. STEEL COLORS See specifications on pages 30–31 for model availability. Actual paint colors may vary form samples shown
		Actual paint colors Actual paint colors apples shown.
ARCHED THAMES (31)		TRUE ALMOND WICKER SANDTONE TERRATONE DARK HUNTER GRAY CHARCOAL BLACK WHITE [TW] (AL) TAN (WK) (ST) [TT] BROWN GREEN (GY) GRAY [EF] (BL]‡ (DN) [HG]
		Amart Color Zone∔ Over 700 approved SnapDry™ paint colors – approved color list is at
MOONLITE (24)		GOLDEN DAK WALNUT MAHOGANY AMATOCANY amarr.color_zone. GOLDEN DAK WALNUT MAHOGANY
		(0K) [‡] (NT) [‡] (MY) [‡] Amarr steel doors are pre-painted; for custom colors [‡] Price upcharge applies.
26) STEEL		exterior lates paint must be used. Visit amar.com for instructions on painting. Painting your garage door voids the paint finish warranty. OPTIONS 27

STEEL

26

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER:

Steel

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance





DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- Heavy-duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation

Steel Exterior



TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Hillcrest, Heritage, Lincoln, & Olympus

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation





R-VALUE 14.46 DESIGNERS CATOR DESIGNERS DESIGNES DES

Polyurethane Insulation



Steel, Polyurethane Insulation R-VALUE 13.35 CLASSICA DESIGNER'S CLASSICA DESIGNER'S CLASSICA DESIGNER'S CLASSICA DESIGNER'S CLASSICA

> Bottom Weather Seal

Steel Interior True White Bead Board only.
 ** All panels and colors except True White Bead Board.
 * True White Short and Flush panels only.
 * All panels and colors except True White Short and Flush panels.



FOUR-LAYER:

Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- Heavy-duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation
- Energy Efficient
- Extra Quite Operation





STEEL SPECIFICATIONS

	CARRIAGE HOUSE DESIGN										TRADITIONAL DESIGN												
Amarr	AMARR CARRIAGE COURT CC4000	AMARR Classica Cl1000	AMARR CLASSICA CL2000	AMARR Classica Cl3000	AMARR OAK SUMMIT OS1000	AMARR OAK SUMMIT OS2000	AMARR HILLCREST HI1000	AMARR HILLCREST HI2000	AMARR HILLCREST HI3138	AMARR HILLCREST HI3000	AMARR DESIGNER'S CHOICE DC3138	AMARR DESIGNER'S CHOICE DC3200	AMARR HERITAGE HR1000	AMARR HERITAGE HR2000	AMARR HERITAGE HR3000	AMARR Stratford St1000	AMARR STRATFORD ST2000	AMARR Lincoln Li1000	AMARR Lincoln Li2000	AMARR LINCOLN LI3138	AMARR Lincoln Li3000	AMARR Olympus Ol3138	AMARR Olympus Ol3200
PANEL DESIGNS (Safe Guard)		1	1	1	1	1							1	1	1	1	1						
Short													•	•	•	•	•	•	•	•	•	TW	•
Long																		•	•	•			•
Flush															•	•	•1	•	•6	•	•	TW	TW
Ribbed																							
Carriage House	18 Designs	7 Designs	7 Designs	7 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	1 Design	4 Designs	4 Designs	4 Designs	4 Designs								
CONSTRUCTION LAYERS	4	1	2	3	1	2	1	2	3	3	3	3	1	2	3	1	2	1	2	3	3	3	3
Steel		•	-			-						-		-	-		-		-			-	-
Steel + Insulation			•																				
Steel + Insulation + Steel										•										•			•
Overlay + Steel + Insulation + Steel																							
DOOR THICKNESS	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)
INSULATION	Polystyrene ¹	Z (SUCIII)			Z GUUID		Z GUUND	Polystyrene ¹	Polystyrene ¹				2 (3.1011)			2 VOLICITY		2 GUILIN			Polystyrene ¹		
R-VALUE ²	6.48		Polystyrene ¹	Polyurethane 13.35		Polystyrene ¹ 6.64		6.64	6.48	Polystyrene ¹ 9.05	Polyurethane 14.46	Polyurethane 19.40*/13.35**		Polystyrene ¹	Polystyrene ¹ 9.05		Polystyrene ¹ 6.64		Polystyrene ¹ 6.64	Polystyrene ¹ 6.48	9.05	Polyurethane	Polyurethane
STEEL THICKNESS	U.40		6.64	13.35		0.04		0.04	u.40	7.00	14.40	17.40 / 13.33		6.64	7.03		0.04		0.04	U.40	7.03	14.40	17.40 / 13.35
Gauge (ga)	27/27 ga	24 ga	21	25/27 ga	25 ga	25	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	26	24/27 ga	25 ga	25 ga	25 ga	26	27/27 ga	27/27 ga	27/27 ga	27/27 ga
	0.42/0.42mm		24 ga			25 ga	25 ya 0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm		24 ga				25 ya	25 ga 0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm
Gauge (mm)	U.42/U.42mm	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	U.33MM	U.53mm	0.42/0.42mm	u.42/U.42mm	U.42/U.42mm	U.42/U.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	U.53mm	U.53mm	0.42/0.42mm	0.42/0.42mm		
WOODGRAIN EXTERIOR TEXTURE	•	•	•	•		•	•		•	·	•	•	•	•	•	•		-		•	•	•	•
GALVANIZED END STILES		•	•		•	•	•	•								•	•	•	•				
PAINTED END STILES	•			•					•	·		•	•	•	•					·	•	•	•
THERMAL SEAL											•	•			•							•	•
BOTTOM WEATHER SEAL												•"											•‡
Steel Retainer		•	•	•	•	•	•	•				•	•	•		•	•	•	•				•*
Aluminum Retainer	•								•						•					•			+
Extruded Vinyl										•	•	•*									•	•	•†
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	·	•	•	•
WINDOW GLASS OPTIONS																							
3/32" (0.24cm) Single Strength					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
1/8" (0.32cm) Tempered 2X Strength	•	•	•	•																			
Insulated (Clear, Frost & Dark Tint)	Clear Only			•					•	·	Clear Only	•			•					•	•	Clear Only	•
Obscure	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Frost		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Dark Tint		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
DECORATIVE HARDWARE OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•7	•7	•'								
EXTERIOR COLOR OPTIONS																							
True White (TW)	•1	•	•	•	•	•	•	•	•	·	•	•	•	•	•	•	•	•	•	•	•	•	•
Almond (AL)	•3	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Wicker Tan (WK)	•3	•	•	•	•	•	•	•	•	·		•				•	•	•	•	•	•		•
Sandtone (ST)	•1	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Terratone (TT)		•	•	•	•	•	•	•	•	•						•	•	•	•	•	•		
Dark Brown (DN)		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Hunter Green (HG)									•											•			
Gray (GY)									•											•			
Charcoal Gray (EF)		•	•	•			•	•	•	•								•	•	•	•		
Black (BL)		•	•	•			•	•	•	•		•	•	•	•			•	•	•	•		•
Golden Oak (OK)		•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•		
Walnut (NT)		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Mahogany (MY)		•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
																			1				1
WIND LOAD ⁴ AVAILABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	• Lifetime	• Lifetime	• Lifetime	• Lifetime	• 15 Years	• 25 Years	• 15 Years	• 25 Years	• Lifetime	• Lifetime	• Lifetime	• Lifetime	• Lifetime	• Lifetime	• Lifetime	• 15 Years	• 25 Years	• 15 Years	• 25 Years	• Lifetime	• Lifetime	Lifetime	• Lifetime



¹ Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing. ² Calculated door section

R-value is in accordance with DASMA TDS -163.

True White Bead Board.
 Based on independent laboratory test results
 ** All panels and colors except True White Bead Board

† True White Short and Flush panels only. Based on independent laboratory test results

All panels and colors except True White Short and Flush panels.

³ With White Overlay.

NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.

⁴ It is your responsibility to make sure your garage door meets local building codes.

⁵ For complete warranty details, visit amarr.com or contact has Stucco texture. House designs only visit amarr.com or contact your local Amarr dealer.





AMARR BY DESIGN AD4000

Get the neighbors talking. Start with the exquisite Amarr by Design collection. Submit your own unique design and let our craftsmen build it. Or choose from one of our many custom wood carriage house styles and an array of materials, windows, and custom hardware to create a truly unique, one-of-a-kind door. Amarr By Design. Get a gorgeous door, and a great conversation piece.

CONSTRUCTION



WOOD CHOICES

WOOD

- Wood + Insulation + Wood
- Custom, Handcrafted Carriage House Designs
- Multiple Wood Options •
- · Paint or Stain Grade Wood
- Environmentally Safe Polystyrene Thermal Insulation
- Energy Efficient

Other types of wood Wood choices shown are natural. Homeowner available upon request. must finish door prior to door installation.



DESIGNS



LOWRY

TTT-

4000 (closed arch)

7010 (i)



3000 (custom)

7020 (เ)

ROBERTS



CURTIS



RUNION


TERRY



Unlimited design options.

FASTON

Custom designs available. Simply draw your own unique door, give it to your Amarr dealer, and we'll take it from there.



Designs

Design your own look or pick from one of our many designs. Available with closed top section or with windows. Glass choices include Double Strength or Insulated.

Materials

Design your own door. Choose from the finest milled woods. Paintable or stainable wood exterior. See page 40 for

complete specifications.

Decorative Options

Design your own finishing touches with decorative hardware. Popular choices include door knockers, handles, latches, braces, and strap hinges.

Visit www.amarr.com for all hardware options.

(33


AMARR BY DESIGN



AMARR HORIZON HO1000

Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

CONSTRUCTION



Exterior Handles (2 Included)

ALUMINUM

An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide

DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING

Up to 8'2" WIDE - 1 Panel 8'3"-16'2" WIDE - 2 Panels



16'3"-20'2" WIDE - 3 Panels

FOR INSULATED GLAZING

Up to 10'2" WIDE - 2 Panels 10'3"-16'2" WIDE - 3 Panels



16'3"-20'2" WIDE – 4 Panels

FOR SINGLE PANE GLAZING

Door Width	# Center Stiles	# Windows/Section	Door Width	# Center Stiles	# Windows/Section
Up to 8'2"	0	2	Up to 10' 2"	1	4
8' 3" - 16' 2"	1	4	10' 3" – 16' 2"	2	6
16' 3" – 20' 2"	2	6	16' 3" – 20' 2"	3	8

FOR INSULATED GLAZING



ALUMINUM OPTIONS

Visit **amarr.com** and access the Amarr Door Designer to view specific designs in various architectural styles.



GLAZING OPTIONS

	Anne	SINGLE aled [‡]	E PANE	Temp	nered		Anne	DU AL ealed	PANE	Tempered	Laminated		Polycarbonate			SINGLE PANE Acrylic	
	1/8"	1/8" Low-E	1/8"	1/8" Low-E	1/4"	1/4" Low-E	1/2"	1/2" Low-E	1/2"	1/2" Low-E	1/4"	Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
CLEAR	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
OBSCURE	•		•		•		•	•	•	•							
GREEN TINT	•		•		•		•	•	•	•							
BRONZE TINT	•		•		•		•	•	•	•				•			
GRAY TINT	•		•		•		•	•	•	•							
GREYLITE	•		•		•		•	•	•	•							
FROST	•		•		•		•	•	•	•				•			
SNOW											•			•			
WHITEOUT											•						
BLACK ICE											•						

37



AMARR VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION




ALUMINUM

An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- · Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for up to 24' wide doors, when required
- Available in 21"and 24" section heights; and 18" for odd height doors
- · Wind load options available to meet local building codes
- · Attractive, modern exterior handles (2) included

PANEL CONFIGURATION

16' WIDE — 4 Panels






18' WIDE — 5 P	anels	

DOOR HEIGHT CONFIGURATION

8' (4 tall)





12' (6 tall)	

OPTIONAL PANELS

ALLIMINUM & INSULATED ALLIMINUM PE



1111		
	11	

Also available in Mill finish Shown in White Powder Coat

6 columns of (12) 3"x 3/4" vents on a 4'x 24" panel

LOUVERED ALUMINUM

WOOD SPECIFICATIONS



	AMARR [®] BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1-3/8" thick)	•
R-VALUE	9.0
BOTTOM WEATHER SEAL	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
OPTIONAL DECORATIVE HARDWARE	•
WIND LOAD ¹ AVAILABLE*	•
FIRE RATED DOORS AVAILABLE ²	•
SECTION WARRANTY ³	1 Year

¹ It is your responsibility to make sure your garage door meets local building codes. ² Optional: Special-designed doors meet guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available. ³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

* Optional: Wood-on-steel section construction is available. Some wind load pressures may require wood-on-steel section construction. mpered glass windows available. Doors are shipped natural. Priming is available for paint grade doors. All doors

Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six (6) sides of each section within two days of receipt of door(s) and prior to installation. Visit amarr.com for finishing recommendations.

HARDWARE SPECIFICATIONS

TRACK: 2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.

HINGES: Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.

ROLLERS: 2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).

STRUTS: 3" galvanized struts

COUNTER BALANCE: 10,000 cycle torsion springs,cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length. FASTENERS: Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).

OPERATION: Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have timitations. Contact your local Amarr dealer for specific details.

SPECIALTY SPECIFICATIONS



ALUMINUM	AMARR HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2'- 20' 2" (in 1" increments)
DOOR HEIGHTS	6'-20'1"
CLEARVIEW STRUT SYSTEM	Only required for doors $\geq 16'$
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
WIND LOAD ¹ AVAILABLE	NA
FINISH WARRANTY ²	5 Years
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

ALUMINUM	AMARR VISTA VI1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	21" and 24"; 18" for odd height doors
CLEARVIEW STRUT SYSTEM	Only required for doors $\geq 16^{\circ}$
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
Mill	Perforated panel only
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
WIND LOAD ¹ AVAILABLE	•
FINISH WARRANTY ²	5 Years
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

¹ It is your responsibility to make sure your garage door meets local building codes. ² For complete warranty details contact your local Amarr dealer.

41



Amarr Classica Bordeaux design with Americana windows in True White



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products distributed by Entrematic, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

Entrematic 165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com



Entrematic, Amarr, Classica, Heritage, Stratford and Oak Summit as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group. Door specifications and technical data subject to change without notice. Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2020. All rights reserved. Printed in USA Form #6010220/8M/GVS

Your Local Amarr Dealer: